




ZUNE PREMIUM HEADPHONES
ÉCOUTEURS HAUT DE GAMME ZUNE
AUDÍFONOS ZUNE PREMIUM
Start. Démarrer. Iniciar.




Choose the inserts that fit best: pull to remove, push to attach.

See the Zune Product Guide for important safety information.

SPECIFICATIONS

Frequency response	20 to 15,000 Hz (+/- 6 dB)
Driver type	Dynamic
Impedance	16 ohms @ 1 kHz (+/- 15 percent)
Sensitivity	96 dB SPL (+/-3 dB) @ 1mW, 1 kHz
Cable length	4.6 feet (1.4 meters)
Connector	1/8 inch (3.5 mm)

Specifications subject to change without notice.




Choisissez les insertions les mieux adaptées : tirez pour enlever, poussez pour fixer.

Pour plus d'informations importantes relatives à la sécurité, consultez le Guide du produit Zune.

LES SPÉCIFICATIONS

Réponse en fréquence	20 à 15 000 Hz (+/- 6 dB)
Type de pilote	Dynamique
Impédance	16 ohms à 1 kHz (+/- 15 %)
Sensibilité	Niveau sonore de 96 dB (+/- 3 dB) à 1mW, 1 kHz
Longueur du câble	1,4 m (4,6 pi)
Connecteur	3,5 mm (1/8 po)

Les spécifications sont susceptibles d'être modifiées sans préavis.



Elige las piezas de inserción que se ajusten mejor: jala para retirar y oprime para colocar.

Consulta la Guía de producto Zune para obtener información importante de seguridad.

ESPECIFICACIONES

Respuesta de frecuencia	de 20 a 15.000 Hz (+/- 6 dB)
Tipo de controlador	Dinámico
Impedancia	16 ohmios @ 1 kHz (+/- 15%)
Sensibilidad	96 dB SPL (+/- 3 dB) @ 1mW, 1kHz
Longitud del cable	1,4 metros
Conector	3,5 mm

Especificaciones sujetas a cambio sin previo aviso.

0807 Part. No. X13-83947-02

For more, see the Zune™ User's Guide
at www.zune.net/support.

©2007 Microsoft Corporation.
All rights reserved.

Pour de plus amples renseignements,
consultez le Manuel de l'utilisateur Zune^{MC}
à la page www.zune.net/support.

©2007 Microsoft Corporation.
Tous droits réservés.

Para más información, consulta la Guía
del usuario de Zune™ en www.zune.net/support.

©2007 Microsoft Corporation.
Reservados todos los derechos.