

Owner's Manual Corrections

Please correct the contents of the "MICRO BR Owner's Manual" as follows.

And the supplementation not described to the Owner's Manual is shown in this document.

Read together with the Owner's Manual.

Saving insert effects settings (Write)

p. 63

(Error)

- 2. If you want to edit the patch name press [TR4] (NAM).**

The FX NAME screen appears.

If you don't need to edit the patch name, proceed to step 4.

(Correct)

- 2. If you want to edit the patch name press [TR4] (NAM).**

The FX NAME screen appears.

If you don't need to edit the patch name, proceed to step 5.

Mastering Procedure

p. 75

(Error)

Button	Function
[TR1] (INS)	Inserts a <u>space</u> at the cursor location.
[TR2] (DEL)	Deletes the character at the cursor location, and moves the subsequent characters toward the left.
[TR3] (A/a)	Switches the character at the cursor location between uppercase/lowercase.
[TR4] (0!A)	Switches the type of character (numeral/symbol/alphabetical) at the cursor location.

(Correct)

Button	Function
[TR1] (INS)	Inserts a <u>underscore</u> (_) at the cursor location.
[TR2] (DEL)	Deletes the character at the cursor location, and moves the subsequent characters toward the left.
(delete)	(delete)
[TR4] (0!A)	Switches the type of character (numeral/symbol/alphabetical) at the cursor location.

Regarding MP3 mode

p. 89

(Adds following contents)

You can't use the following functions in MP3 mode.

- Rhythm function
- Reverb

Recording MP3 or WAV data

p. 94

(Adds following Memo)

MEMO

The playback volume is set lower than the monitoring volume of recording, beforehand, the purpose is to prevent the entire sound being distorted when the input sound and the playback sound are mixed.

Viewing MP3/WAV file information

p. 95

(Adds following Memo)

MEMO

If the display indicates <<Unsupported>>, the MP3/WAV file is in a format that is not supported by the MICRO BR.

Read "Audio formats supported by the MICRO BR" (p. 88 of the Owner's Manual), and check the format of the MP3/WAV file.

Converting between track data and audio files

p. 107

MEMO

You can exporting files are following

(Error)

MP3 format

- Sampling Frequency: 44.1 kHz
- 96, 128, 192 kbps

(Correct)

MP3 format

- Sampling Frequency: 44.1 kHz
- 64, 128, 192 kbps

(Error)

6. If you want to edit the export filename, press [TR3] (NAM).

The filename edit screen appears.

Use CURSOR [◀] [▶] and VALUE [-] [+] to enter the desired patch name.

If you don't need to edit the patch name, proceed to step 8.

(Correct)

6. If you want to edit the export filename, press [TR3] (NAM).

The filename edit screen appears.

Use CURSOR [◀] [▶] and VALUE [-] [+] to enter the desired patch name.

If you don't need to edit the patch name, proceed to step 7.

(Error)

Button	Function
[TR1] (INS)	Inserts a <u>space</u> at the cursor location.
[TR2] (DEL)	Deletes the character at the cursor location, and moves the subsequent characters toward the left.
[TR3] (A/a)	Switches the character at the cursor location between uppercase/lowercase.
[TR4] (!A)	Switches the type of character (numeral/symbol/alphabetical) at the cursor location.

(Correct)

Button	Function
[TR1] (INS)	Inserts a <u>underscore</u> (_) at the cursor location.
[TR2] (DEL)	Deletes the character at the cursor location, and moves the subsequent characters toward the left.
(delete)	(delete)
[TR4] (!A)	Switches the type of character (numeral/symbol/alphabetical) at the cursor location.

Powering-off automatically (Auto Power Off)

p. 111

(Adds following Memo)



When you use an AC adaptor, the Auto Power Off function will not operate.

Using plug-in powered microphone

p. 109

(Adds following procedure)

1. **Connect the plug-in powered microphone to the LINE IN/MIC jack.**
2. **Turn the power on as described in “Turning the power on” (p. 24).**
3. **Press [INPUT].**
4. **Press [TR4] (EXT) to input the connected plug-in powered microphone.**
→“Selecting an instrument to record” (p. 39)
5. **(For the remainder of the procedure, continue from step 3 of the text in the Owner's Manual.)**

©2006 BOSS CORPORATION All right reserved.

No part of this publication may be reproduced in any form without the written permission of BOSS CORPORATION