

# Virtual Guitarist 2

---

## Read Me – Universal Binary Update

Steinberg Media Technologies GmbH  
April 2007



## What is new?

This Universal Binary update brings compatibility for Intel- and PowerPC-based Macintosh computers.

## Download instructions

- Download "**VirtualGuitarist2\_UB\_Update.dmg**" file to your desktop.
- Double-click "**VirtualGuitarist2\_UB\_Update.dmg** "
- The folder includes multi-installer for VST, AU and Rewire.

## Installation

### [1] Installation of Syncrosoft Licence Software

*If you have already installed your Syncrosoft Licence Control Software please continue with step [2].*

- Double-click the "SyncrosoftLicenceControl.mpkg" file located in the "Copy Protection Driver" folder of your product DVD. Follow the on-screen instruction.
- Make sure to have your Steinberg Key connected to your Mac.

### [2] Installation of Virtual Guitarist 2 Universal Binary Plug-In

- Please double-click "**Virtual Guitarist 2 Setup**" to launch the installer.
- Follow the on-screen instructions.

### [3] Installation of Virtual Guitarist 2 Content Data

- Please drag the folder "**Virtual Guitarist 2 Content**" from your product DVD onto your hard disk. You can put the folder anywhere you like, including external hard drives.
- When copying has finished, please open the "**Virtual Guitarist 2 Content**" folder on your hard drive and double-click the file "**Set VG2 Content Location**". This tells the plug-in where to find the data.

## Technical Support

Steinberg product specialists are also on hand to provide individual assistance at:

[www.steinberg.net](http://www.steinberg.net)

**Please note, in order to receive technical support and information, you have to register your product after installing.**

## System requirements

**Steinberg Key required.**  
(not included)

Macintosh	Windows
<p><b>Minimum required:</b>            Mac OSX 10.4            Power Mac G4 1.25 GHz / Intel core Solo 1.5 GHz            512 MB RAM            7 GB free HD space            DVD drive required for Installation            CoreAudio compatible audio hardware            Steinberg Key and USB port required            Internet Connection required for license activation            For using as plug-in or Rewire slave-device, a VST2, AU (tested in Logic 7.1.1 and Digital Performer 4.6 only) or Rewire compatible Host is required.            (See Steinberg web for recommendations)</p>	<p><b>Minimum required:</b>            Windows XP Home or XP Professional            Intel / AMD processor 1,4 GHz minimum            512 MB RAM            7 GB free HD space            DVD-Rom required for Installation            Windows MME compatible audio hardware (ASIO compatible audio hardware required for low latency operation.)            Steinberg Key and USB port required            Internet Connection required for license activation            For using as plug-in or Rewire slave-device, a VST2, DXi2 or Rewire compatible Host is required.            (See Steinberg web for recommendations)</p>